


DOT PEEN PORTABLE MARKING SYSTEM E-TOUCH



- + Colour touch screen.
- + User-friendly icon-based programming.
- + 1:1 scale marking visualization.
- + Can be used with or without gloves.



3 FRONT PLATES AVAILABLE



Interchangeable front plate thanks to a new magnet system.



Internal metal structure for greater strength and rigidity.



Among the lightest on the market with less than 2kg. Very compact thanks to the integrated controller.

FULL PACKAGE

- + Transport suitcase
- + Maintenance kit
- + Accessories and operating instructions




MARKING EXAMPLES



TECHNICAL & MECHANICAL FEATURES

	e-touch
Marking window	60 x 25 mm
External dimensions	210 x 125 x 220 mm
Weight	1,9 kg
Stylus	Tungsten carbide
Cable length	5 m



E-TOUCH SPECIFICITIES

Marking configurations

LARGE FRONT PLATE

FLAT PART MARKING

ADJUSTABLE REDUCED FRONT PLATE

SMALL PART MARKING

CYLINDER

MARKING IN A HOLLOW

MAGNETIC FRONT PLATE

STEEL PART MARKING


OPTIONS



Barcode reader (wireless)



3 front plates kit



Reversible column base (with screen orientation change for better use)

- + 1D / 2D reader (wireless)
- + Custom front plate realization
- + Maintenance kit
- + Hook and balancing system

EMBEDDED CONTROLLER



+ User-friendly 2 hand icon based programming



+ Colour touch screen with 1:1 scale viewing window



+ USB port, allows easy marking files transfer

+ Variety of markings (DataMatrix, circular, alphanumeric, logos...)

+ Reduced space requirement


+ Fully programmable



Technical & electronic features

E1 control unit	
LCD screen	HD colour, 95 x 55 mm
Screen orientation change	Yes - adaptation to different column applications
Keyboard	Touch screen
Power	100 Watt
Power supply	18V / 3A
Inputs/Outputs	Jack socket
PC software	Creation, backup and transfer of logo files

APPLICATIONS




E1 RANGE SOFTWARE

Software features

Memory	>100 Mo
Variable	Alphanumeric, incrementation, timestamp, barcode
Logos	Download from a PC or USB key
Fonts	Arial, Comic, Comic_B, Courier, OCR, OCR_BOLD, OCRA, 4x6
Language	17 available including Russian
Style	Angular, radiant, linear, radial, datamatrix, logo
Character Size	From 1 mm to 60 mm (limited following marking window)
Impact Force	9 adjustable levels
Depth	Up to 0,3 mm (according to the material)
Resolution Between Dots	variable, 0,22 mm MAX
Password	2 security levels

Icon programming

Graphic View



- + Ergonomics and quick programming
- + History function with anti-duplicate
- + Automatic or semi-automatic mode using barcode reading



Angular marking




Radiant marking



Variable text or increment


PC UTILITIES

File editor




- + Creation or modification of files on PC.

Creation of logos



- + Creation of vector and matrix logos.

File manager



- + Backup and transfer of files (by USB key or by USB link).