



# KC Printing Machine (Group) Limited

Search

Home ▾

Products ▾

Contact

Technical ▾

News ▾

Send Inquiry

[Home](#) > [Products](#) > [Hot Foil Stamping Machine](#) > [Tabletop Hot Stamping Machine](#) > [Plain hot foil](#)



Supplier



[View the big picture](#)

Plain hot foil stamping machine for greeting cards

**Payment Type:** L/C,T/T,D/P,Western Union

**Incoterm:** FOB,CFR,CIF,EXW,FCA,CPT,CIP


**Min. Order:** 1 Set/Sets

**Delivery Time:** 7 Days

Contact Now

Chat Now



 Add to Basket

Share to:

## Basic Info

Model No.: HT-TC842	species: Heat Press Machine
Applicable industry: Machinery Repai...	Out-of-warranty service: Video techn...
Where to provide local services (in ...	Showroom location (in which count...
status: New	Type of printing plate: Letterpress
place of origin: China	use: Paper Printer, Label Printer, Card ...
degree of automation: Semi-automatic	Printing color number and surface ...
warranty period: 1 Year	Core selling point: Long Service Life
Marketing type: Hot Product 2019	Mechanical test report: Provided
Video factory inspection: Provided	Core component warranty period: 1...
Core components: Motor, PLC	Stamping Plate Size: 300*250mm
Plate: Relief Printing	Color & Page: Single-Colour Printing ...
Species: Intermittent	Temperature Control: Heater Tube, A...
Foil Collecting: Automatically Collecting	HS Code: 8443198000

Supplier 





## Additional Info

Packaging: Wooden case	Productivity: 100 Sets/month
Brand: KC	Transportation: Ocean
Place of Origin: Dongguan	Supply Ability: 100 Sets/month
Certificate: CE	Port: Shenzhen,Guangzhou,Hongkong

## Product Description

### Samples



Supplier 

### Data

Pneumatic Hot Stamping Machine //Parameter			
Technical parameters	<p style="text-align: center;"><b>HT-TC822</b></p> <ul style="list-style-type: none"> <li>• Size of <u>Stamping Plate</u>:190×270mm;</li> <li>• Stamping height adjustable range:50mm;</li> <li>• Size of working table: 320×400mm;</li> <li>• Stamping temperature adjustable range:0-280;</li> <li>• Max. stamping pressure:2000kg;</li> <li>• Max. stamping speed:1300pcs/hr;</li> <li>• Air consumption:80 liter/min;</li> <li>• Heat Wattage:1600W;</li> <li>• Max open distance: 190mm.</li> </ul>		
	<table border="1" style="width: 100%;"> <tr> <td style="width: 50%; vertical-align: top;"> <p style="text-align: center;"><b>HT-TC832</b></p> <ul style="list-style-type: none"> <li>• Size of stamping plate:210×290mm;</li> <li>• Stamping height adjustable range:50mm;</li> <li>• Size of working table: 320×400mm;</li> <li>• Stamping temperature adjustable range:0-280;</li> <li>• Max. stamping pressure:2000kg;</li> <li>• Max. stamping speed:1300pcs/hr;</li> <li>• Air consumption:80 liter/min;</li> <li>• Heat Wattage:1600W;</li> </ul> </td> <td style="width: 50%; vertical-align: top;"> <p style="text-align: center;"><b>HT-TC842</b></p> <ul style="list-style-type: none"> <li>• Size of stamping plate:300×250mm;</li> <li>• Stamping height adjustable range:50mm;</li> <li>• Size of working table: 320×400mm;</li> <li>• Stamping temperature adjustable range:0-280;</li> <li>• Max. stamping pressure:2000kg;</li> <li>• Max. stamping speed:1300pcs/hr;</li> <li>• Air consumption:80 liter/min;</li> <li>• Heat Wattage:1600W;</li> </ul> </td> </tr> </table>	<p style="text-align: center;"><b>HT-TC832</b></p> <ul style="list-style-type: none"> <li>• Size of stamping plate:210×290mm;</li> <li>• Stamping height adjustable range:50mm;</li> <li>• Size of working table: 320×400mm;</li> <li>• Stamping temperature adjustable range:0-280;</li> <li>• Max. stamping pressure:2000kg;</li> <li>• Max. stamping speed:1300pcs/hr;</li> <li>• Air consumption:80 liter/min;</li> <li>• Heat Wattage:1600W;</li> </ul>	<p style="text-align: center;"><b>HT-TC842</b></p> <ul style="list-style-type: none"> <li>• Size of stamping plate:300×250mm;</li> <li>• Stamping height adjustable range:50mm;</li> <li>• Size of working table: 320×400mm;</li> <li>• Stamping temperature adjustable range:0-280;</li> <li>• Max. stamping pressure:2000kg;</li> <li>• Max. stamping speed:1300pcs/hr;</li> <li>• Air consumption:80 liter/min;</li> <li>• Heat Wattage:1600W;</li> </ul>
<p style="text-align: center;"><b>HT-TC832</b></p> <ul style="list-style-type: none"> <li>• Size of stamping plate:210×290mm;</li> <li>• Stamping height adjustable range:50mm;</li> <li>• Size of working table: 320×400mm;</li> <li>• Stamping temperature adjustable range:0-280;</li> <li>• Max. stamping pressure:2000kg;</li> <li>• Max. stamping speed:1300pcs/hr;</li> <li>• Air consumption:80 liter/min;</li> <li>• Heat Wattage:1600W;</li> </ul>	<p style="text-align: center;"><b>HT-TC842</b></p> <ul style="list-style-type: none"> <li>• Size of stamping plate:300×250mm;</li> <li>• Stamping height adjustable range:50mm;</li> <li>• Size of working table: 320×400mm;</li> <li>• Stamping temperature adjustable range:0-280;</li> <li>• Max. stamping pressure:2000kg;</li> <li>• Max. stamping speed:1300pcs/hr;</li> <li>• Air consumption:80 liter/min;</li> <li>• Heat Wattage:1600W;</li> </ul>		



	<ul style="list-style-type: none"> <li>• Max open distance: 190mm.</li> </ul>	<ul style="list-style-type: none"> <li>• Max open distance: 190mm.</li> </ul>
Works supply	<ul style="list-style-type: none"> <li>• 110V-220V Power supply;</li> <li>• 5-7Bar compress air</li> </ul>	
Package list	<ul style="list-style-type: none"> <li>• Wooden Case:</li> <li>Package size: 700*580*780mm;</li> <li>Gross weight: 95kg.</li> </ul>	
H.S.Code	8443198000	
Certificate	CE	
<b>Pneumatic Hot Stamping Machine // Advantage</b>		
Function	<ul style="list-style-type: none"> <li>• Table can be pulled into and pulled out the pick and place of convenience products;</li> <li>• Stamping plate can be up and down, around, before and after the precision adjustment, to facilitate the adjustment of the precise location of the gilt;</li> <li>• Stamping head lifting screw adjustment, simple and convenient;</li> <li>• Relays for process control, stable operation, easy maintenance;</li> <li>• The use of advanced temperature control system, the temperature can be set freely, high precision temperature control, with automatic temperature control;</li> <li>• leveraged cylinder pressure, the pressure is uniform and strong;</li> <li>• The basic parameters of the hot stamping process; temperature, pressure, hot pressure, the rolls of time in accordance with the process requirements of the flexible adjustment;</li> <li>• Motor to control the delivery of the gold foil paper, resin length can be flexibly adjusted according to the size of the stamping area;</li> <li>• Using high strength steel, gilt plate and table, has a very high flatness;</li> <li>• Heating tube for heating, heat supply is stable, easy to replace;</li> <li>• Tabletop type hot stamping machine</li> </ul>	

Supplier 

Looking for ideal Desktop Foil Hot Stamping Machine Manufacturer & supplier ? We have a wide selection at great prices to help you get creative. All the Cloth [Hot Foil Stamping Machine](#) are quality guaranteed. We are China Origin Factory of Gilding Machine for Notebook. If you have any question, please feel free to contact us.

Product Categories : [Hot Foil Stamping Machine](#) > [Tabletop Hot Stamping Machine](#)

### Email to this supplier

\*Subject:

\*To: Mr. Kelven Bai

\*Message:

Your message must be between 20-8000 characters

Send

